


PHAZER® MOBILE FLOOR CARE SYSTEM

Ergonomically designed floor finish applicator system that delivers the ultimate floor finishing experience. Now available in both hard shell and soft shell backpack versions.

- Ergonomic design helps maximize comfort
- Helps reduce product waste
- Helps improve crew efficiency

Increases Productivity up to 73%*

Phazer®




9.5 Minutes

Per Coat (1000 ft²)

57 Minutes

Six Coat (1000 ft²)

Mop & Bucket



36 Minutes

Per Coat (1000 ft²)

3 HRS 36 Minutes

Six Coat (1000 ft²)

Hard Shell Phazer® Back Pack



Soft Shell Phazer® Back Pack



* Minimizes time and labor cost per ISSA standard times.

To order, contact your Ecolab
Sales Representative or call 1 800 35 CLEAN



FACILIPRO™ FLOOR CARE SOLUTIONS

Great First Impressions, Efficiently Delivered

Finish	Description
FACILIPRO™ MAXX Durable Floor Finish Kit - Phazer®	Innovative two-part urethane hybrid floor finish with alcohol and quaternary resistance is twice as durable as conventional floor finish. CARB VOC Complaint.
FACILIPRO™ Low Maintenance Floor Finish - Phazer®	Provides long lasting gloss and is mark, soil and scuff resistance. Easy to apply, gives superior leveling and responds well to burnishing. CARB VOC Complaint.
FACILIPRO™ Low Maintenance Floor Finish	
FACILIPRO™ Monostar® - Phazer®	Ultra high-solids finish with excellent leveling for hallways and high traffic areas. Can be used for two-coat scrub and re-coat and three-coat full strip applications. CARB VOC Complaint.
FACILIPRO™ Laser - Phazer®	Versatile floor finish that provides extreme durability and long-lasting gloss with high speed maintenance procedures. High resistance to black heel marks and scuffs. CARB VOC Complaint.
FACILIPRO™ Laser	
FACILIPRO™ Stratus - Phazer®	Ideal for use on resilient and other types of natural and man-made floors with high intensity traffic. Engineered for higher maintenance routines and gives outstanding gloss. CARB VOC Complaint.
FACILIPRO™ Stratus	

Sealer/Finish	Description
FACILIPRO™ TAJ MAHAL™ - Phazer®	Helps promote adhesion on porous floor substrates while maintaining good durability and gloss. May also be used as a removable base coat. CARB VOC Complaint.
FACILIPRO™ TAJ MAHAL™	

Floor Stripper and Neutralizer	Description
FACILIPRO™ MAXX Floor Stripper	Unbeatable power removes heavy build up in one pass. Required to strip FACILIPRO™ MAXX Durable Floor Finish, it is also effective in removing any other Ecolab Floor Finish.
FACILIPRO™ Bright Blast	Super concentrated floor finish stripper. Free-rinsing, low foaming formula is safe on multiple floor types.
FACILIPRO™ Heavy Duty Low Odor Floor Stripper	Noncorrosive, concentrated floor finish remover. Designed to remove zinc-free and zinc containing floor finishes. Dual purpose formula for full strip out or removal of top layers.
FACILIPRO™ Floor Neutralizer	Ensures proper adhesion and performance of floor finish by removing stripper residue before recoating. Dissolves ice-melt compound and removes lime scale.



GREEN SEAL

This product meets Green Seal™ Standard GS-40 based on effective performance and protective limits on VOCs and human and environmental toxicity. GreenSeal.org

Pack Size	Ecolab Number	Gloss	Durability	% Solids	Recommended Coats	Burnish Frequency	Zinc Free	Green	Recommended Floor Types	UL Certified
2x1 gal	6100417	High	Highest	22%	5	Monthly-Quarterly	✓		VCT, Vinyl and Terrazzo Floor	✓
2x2 gal	6100264	Medium	Medium	22%	5	1-2 times per month	✓		All conventional floor types	✓
2.5 gal	6100266									
2x2 gal	6114626	High	High	30%	3-5	Monthly			All conventional floor types	✓
2x2 gal	6100028	High	High	20%	4-5	Weekly			All conventional floor types	✓
2x2 gal	6114629									
2x2 gal	6100029	Highest	Medium	25%	5-7	4-7 times per week			All conventional floor types	✓
5 gal	6114627									

Pack Size	Ecolab Number	Burnish Frequency	Compatible Floor Finishes	Strippable	Recommended Floor Types
2x2 gal	6100761	1-2 times per month	Stand alone finish	✓	Conventional, Concrete, Terrazzo
2.5 gal	6114631				

Pack Size	Ecolab Number	Dilution	Low Odor	Stripping Power	Green	Butyl Free
2.5 gal	6114633	1:4-1:24	✓	Best		✓
5 gal	6101033	8-16 oz/gal	✓	Good		✓
2.5 gal	6100265	2 oz/gal (Top Scrub) 14-21 oz/gal (Strip)	✓	Better		
2x90-0.5 oz	6100030	1 packet/3-5 gal	N/A	N/A		✓